

### ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

| Product NameCockpit Shine Gloss - AppleProduct code0889Unique Formula Identifier (UFI)DAF2-U09S-M00H-F8PS <b>1.2 Relevant Identified Uses of the sub-</b> Intended for general publicUses Advised AgainstNot known. <b>1.3 Details of the supplier of the safety tar sheet</b> Not known. <b>1.3 Details of the supplier of the safety tar sheet</b> Forman (1999)ManufacturerGoldthorpe Ind. Est.,<br>Goldthorpe Ind. Est.,<br>Goldthorpe,<br>Rotherham,<br>South Yorkshire,Postal codeS63 9BLTelephone:+44 (0)1709 890099FaxNot known.E-mailIab@granvilleoil.comOffice hours08:00 - 17:00SupplierCompany IdentificationCompany IdentificationVeedol Deutschland GmbHAddress of SupplierLangenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-mailIab@granvilleoil.comOffice hoursNot known.E-mailIab@granvilleoil.comOffice hoursNot known.E-mailIab@granvilleoil.comOffice hoursHans-Böckler-Straße 10<br>Langenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-mailIab@granvilleoil.comOffice hoursGrantulContactGranville LabNational response centreAdd (0) 1709 890099ContactGranville LabNational response centreH                                                                                                                                                                                                                                                                                                                                                                                     | 1.1 Product identifier                    |                                            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|--------------------------------------------|
| Unique Formula Identifier (UFI)DAF2-U09S-M00H-F8PS1.2 Relevant Identified Uses of the substance or mixture and uses advised againstIdentified Use(s)Intended for general publicUses Advised AgainstNot known.1.3 Details of the supplier of the safety data sheetManufacturerCompany IdentificationGranville Oil & Chemicals LtdAddress of Manufacturer29 Goldthorpe Ind. Est.,<br>Goldthorpe,<br>Rotherham,<br>South Yorkshire,Postal codeS63 9BLTelephone:+44 (0)1709 890099FaxNot known.E-maillab@granvilleoil.comOffice hours08:00 - 17:00SupplierLangenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursNot known.E-maillab@granvilleoil.comOffice hoursQermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursCompany IdentificationVariantionVeedol Deutschland GmbHAddress of SupplierHans-Böckler-Straße 10Langenfeld,<br>GermanyGermanyPostal code40764Telephone:+44 (0)1709 89009ContactGranville LabNational response centreAddressAddressNHS DirectEmergency Phone No.+44 (11                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Product Name                              | Cockpit Shine Gloss - Apple                |
| 1.2 Relevant identified uses of the substance or mixture and uses advised against     Identified Use(s)   Intended for general public     Uses Advised Against   Not known.     1.3 Details of the supplier of the safety Jata sheet   Manufacturer     Company Identification   Granville Oil & Chemicals Ltd     Address of Manufacturer   29 Goldthorpe Ind. Est.,     Goldthorpe,   Rotherham,     South Yorkshire,   South Yorkshire,     Postal code   S63 9BL     Telephone:   +44 (0)1709 890099     Fax   Not known.     E-mail   Iab@granvilleoil.com     Office hours   08:00 - 17:00     Supplier   Germany     Company Identification   Veedol Deutschland GmbH     Address of Supplier   Hans-Böckler-Straße 10     Langenfeld,   Germany     Postal code   40764     Telephone:   +49 (0) 2173 893 30 30     Fax   Not known.     E-mail   Iab@granvilleoil.com     Office hours   Jagenfeld,     Germany   Sout known.     E-mail   Iab@granvilleoil.com     Office hours   -449 (0) 2173 893 30 30 <th>Product code</th> <th>0889</th>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Product code                              | 0889                                       |
| Identified Use(s)Intended for general publicUses Advised AgainstNot known.1.3 Details of the supplier of the safety Jata sheetImanufacturerCompany IdentificationGranville Oil & Chemicals LtdAddress of Manufacturer29 Goldthorpe Ind. Est.,<br>Goldthorpe,<br>Rotherham,<br>South Yorkshire,Postal codeS63 9BLTelephone:+44 (0)1709 890099FaxNot known.E-maillab@granvilleoil.comOffice hours08:00 - 17:00SupplierIangenfeld,<br>GermanyCompany IdentificationVeedol Deutschland GmbHAddress of SupplierJans-Böckler-Straße 10<br>Langenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hours449 (0) 1709 890099FaxNot known.E-maillab@granvilleoil.comOffice hours449 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hours                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Unique Formula Identifier (UFI)           | DAF2-U09S-M00H-F8PS                        |
| Uses Advised AgainstNot known.1.3 Details of the supplier of the safety data sheetManufacturerCompany IdentificationGranville Oil & Chemicals LtdAddress of Manufacturer29 Goldthorpe Ind. Est.,<br>Goldthorpe,<br>Rotherham,<br>South Yorkshire,Postal codeS63 9BLTelephone:+44 (0)1709 890099FaxNot known.E-maillab@granvilleoil.comOffice hours08:00 - 17:00SupplierCompany IdentificationCompany IdentificationVeedol Deutschland GmbHAddress of SupplierLangenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursSouth Yorkshire,Company IdentificationVeedol Deutschland GmbHAddressNot known.E-mailLangenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hours                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 1.2 Relevant identified uses of the subs  | stance or mixture and uses advised against |
| ManufacturerGranville Oil & Chemicals LtdAddress of Manufacturer29 Goldthorpe Ind. Est.,<br>Goldthorpe,<br>Rotherham,<br>South Yorkshire,Postal codeS63 9BLTelephone:+44 (0)1709 890099FaxNot known.E-maillab@granvilleoil.comOffice hours08:00 - 17:00SupplierUangenfeld,<br>GermanyPostal code40764Address of SupplierGermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursSouth Yorkshire,Company IdentificationVeedol Deutschland GmbHAddress of SupplierGermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursGarmanyPostal code40764Telephone:+44 (0)1709 890099ContactGranville LabNot known.E-mailE-mailSouth York ShoredContactGranville LabNational response centreHAS DirectAddressNHS DirectEmergency Phone No.+44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Identified Use(s)                         | Intended for general public                |
| ManufacturerGranville Oil & Chemicals LtdCompany IdentificationGranville Oil & Chemicals LtdAddress of Manufacturer29 Goldthorpe Ind. Est.,<br>Goldthorpe,<br>Rotherham,<br>South Yorkshire,Postal codeS63 9BLTelephone:+44 (0)1709 890099FaxNot known.E-maillab@granvilleoil.comOffice hours08:00 - 17:00SupplierUredol Deutschland GmbHAddress of SupplierHans-Böckler-Straße 10<br>Langenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursSignappieleCompany IdentificationVeedol Deutschland GmbHAddress of SupplierIangenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursIangenfeld,<br>GernanyPostal code444 (0)1709 890099ContactGranville LabNational response centreHAS DirectAddressNHS DirectEmergency Phone No.+44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Uses Advised Against                      | Not known.                                 |
| Company IdentificationGranville Oil & Chemicals LtdAddress of Manufacturer29 Goldthorpe Ind. Est.,<br>Goldthorpe,<br>Rotherham,<br>South Yorkshire,Postal codeS63 9BLTelephone:+44 (0)1709 890099FaxNot known.E-maillab@granvilleoil.comOffice hours08:00 - 17:00SupplierUCompany IdentificationVeedol Deutschland GmbHAddress of SupplierHans-Böckler-Straße 10<br>Langenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursSouth Yorks 893 030FaxAutown.E-maillab@granvilleoil.comOffice hours449 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursHans-Böckler-Straße 10<br>Langenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursImagency telephone numberEmergency Phone No.+44 (0)1709 890099ContactGranville LabNational response centreHS DirectAddressNHS DirectEmergency Phone No.+44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 1.3 Details of the supplier of the safety | data sheet                                 |
| Address of Manufacturer29 Goldthorpe Ind. Est.,<br>Goldthorpe,<br>Rotherham,<br>South Yorkshire,Postal codeS63 9BLTelephone:+44 (0)1709 890099FaxNot known.E-maillab@granvilleoil.comOffice hours08:00 - 17:00SupplierCompany IdentificationCompany IdentificationVeedol Deutschland GmbHAddress of SupplierHans-Böckler-Straße 10<br>Langenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hours                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Manufacturer                              |                                            |
| Goldthorpe,<br>Rotherham,<br>South Yorkshire,<br>Postal code S63 9BL<br>Telephone: +44 (0)1709 890099<br>Fax Not known.<br>E-mail Iab@granvilleoil.com<br>Office hours 08:00 - 17:00<br>Supplier<br>Company Identification Veedol Deutschland GmbH<br>Address of Supplier Hans-Böckler-Straße 10<br>Langenfeld,<br>Germany<br>Postal code 40764<br>Telephone: +49 (0) 2173 893 30 30<br>Fax Not known.<br>E-mail Iab@granvilleoil.com<br>Office hours Jaka Straße 10<br>E-mail Iab@granvilleoil.com<br>Office hours +44 (0)1709 890099<br>Contact Granville Lab<br>National response centre<br>Address NHS Direct<br>Emergency Phone No. +44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Company Identification                    | Granville Oil & Chemicals Ltd              |
| Rotherham,<br>South Yorkshire,Postal codeS63 9BLTelephone:+44 (0)1709 890099FaxNot known.E-maillab@granvilleoil.comOffice hours08:00 - 17:00SupplierUsedol Deutschland GmbHAddress of SupplierHans-Böckler-Straße 10Address of SupplierGermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursSouth Yorkshire,Postal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursIas@granvilleoil.comOffice hoursVertice Hansen State Hansen Hansen State Hansen Han | Address of Manufacturer                   | 29 Goldthorpe Ind. Est.,                   |
| South Yorkshire,Postal codeS63 9BLTelephone:+44 (0)1709 890099FaxNot known.E-maillab@granvilleoil.comOffice hours08:00 - 17:00SupplierCompany IdentificationVeedol Deutschland GmbHAddress of SupplierHans-Böckler-Straße 10Langenfeld,<br>GermanyGermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursContactGranvilleoil.comAddressKot known.E-maillab@granvilleoil.comOffice hoursHEnergency Phone No.AddressMtd (0)1709 890099ContactGranville LabNational response centreAddressNHS DirectEmergency Phone No.+44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                           | Goldthorpe,                                |
| Postal codeS63 9BLTelephone:+44 (0)1709 890099FaxNot known.E-maillab@granvilleoil.comOffice hours08:00 - 17:00SupplierCompany IdentificationCompany IdentificationVeedol Deutschland GmbHAddress of SupplierHans-Böckler-Straße 10Langenfeld,<br>GermanyGermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hours                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                           | Rotherham,                                 |
| Telephone:+44 (0)1709 890099FaxNot known.E-maillab@granvilleoil.comOffice hours08:00 - 17:00SupplierCompany IdentificationCompany IdentificationVeedol Deutschland GmbHAddress of SupplierHans-Böckler-Straße 10<br>Langenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursVetagranvilleoil.comOffice hours                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                           | South Yorkshire,                           |
| FaxNot known.E-maillab@granvilleoil.comOffice hours08:00 - 17:00SupplierCompany IdentificationVeedol Deutschland GmbHAddress of SupplierHans-Böckler-Straße 10Address of SupplierLangenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursIab@granvilleoil.comOffice hoursGranvilleoil.comContactGranville LabNational response centreHAS DirectAddressNHS DirectEmergency Phone No.+44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Postal code                               | S63 9BL                                    |
| E-maillab@granvilleoil.comOffice hours08:00 - 17:00SupplierCompany IdentificationVeedol Deutschland GmbHAddress of SupplierHans-Böckler-Straße 10Address of SupplierLangenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursFaxNot known.E-maillab@granvilleoil.comOffice hoursAddresssentersAddressN44 (0)1709 890099ContactGranville LabNational response centreAddressNHS DirectEmergency Phone No.+44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | Telephone:                                | +44 (0)1709 890099                         |
| Office hours08:00 - 17:00SupplierCompany IdentificationVeedol Deutschland GmbHAddress of SupplierHans-Böckler-Straße 10Langenfeld,<br>GermanyLangenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hours <b>1.4 Emergency telephone number</b> Emergency Phone No.+44 (0)1709 890099ContactGranville LabNational response centreAddressNHS DirectEmergency Phone No.+44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Fax                                       | Not known.                                 |
| SupplierVeedol Deutschland GmbHAddress of SupplierHans-Böckler-Straße 10<br>Langenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hours                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | E-mail                                    | lab@granvilleoil.com                       |
| Company IdentificationVeedol Deutschland GmbHAddress of SupplierHans-Böckler-Straße 10<br>Langenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hours                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Office hours                              | 08:00 - 17:00                              |
| Address of SupplierHans-Böckler-Straße 10<br>Langenfeld,<br>GermanyPostal codeGermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hours                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Supplier                                  |                                            |
| Langenfeld,<br>GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hours                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Company Identification                    | Veedol Deutschland GmbH                    |
| GermanyPostal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursHemergency telephone numberEmergency Phone No.+44 (0)1709 890099ContactGranville LabNational response centreAddressNHS DirectEmergency Phone No.+44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Address of Supplier                       | Hans-Böckler-Straße 10                     |
| Postal code40764Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hoursIab@granvilleoil.comOffice hours1.4 Emergency telephone numberEmergency Phone No.+44 (0)1709 890099ContactGranville LabNational response centreNHS DirectAddressNHS DirectEmergency Phone No.+44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                           | Langenfeld,                                |
| Telephone:+49 (0) 2173 893 30 30FaxNot known.E-maillab@granvilleoil.comOffice hours                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                           | Germany                                    |
| FaxNot known.E-maillab@granvilleoil.comOffice hours                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Postal code                               | 40764                                      |
| E-maillab@granvilleoil.comOffice hours1.4 Emergency telephone numberEmergency Phone No.+44 (0)1709 890099ContactGranville LabNational response centreAddressNHS DirectEmergency Phone No.+44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Telephone:                                | +49 (0) 2173 893 30 30                     |
| Office hours <b>1.4 Emergency telephone number</b> Emergency Phone No.   +44 (0)1709 890099     Contact   Granville Lab     National response centre   NHS Direct     Emergency Phone No.   +44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Fax                                       | Not known.                                 |
| 1.4 Emergency telephone numberEmergency Phone No.+44 (0)1709 890099ContactGranville LabNational response centre                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | E-mail                                    | lab@granvilleoil.com                       |
| Emergency Phone No.+44 (0)1709 890099ContactGranville LabNational response centreAddressNHS DirectEmergency Phone No.+44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Office hours                              |                                            |
| ContactGranville LabNational response centreAddressNHS DirectEmergency Phone No.+44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 1.4 Emergency telephone number            |                                            |
| National response centre NHS Direct   Address NHS Direct   Emergency Phone No. +44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Emergency Phone No.                       | +44 (0)1709 890099                         |
| Address NHS Direct   Emergency Phone No. +44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Contact                                   | Granville Lab                              |
| Emergency Phone No. +44 111                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | National response centre                  |                                            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Address                                   | NHS Direct                                 |
| SECTION 2: HAZARDS IDENTIFICATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Emergency Phone No.                       | +44 111                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | SECTION 2: HAZARDS IDENTIFICATI           | ON                                         |

#### 2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 (CLP)

Aerosol 1 :Extremely flammable aerosol. Pressurised container: May burst if heated. Skin Irrit. 2 :Causes skin irritation. STOT SE 3 :May cause drowsiness or dizziness.



Date of Revision: 20-04-2023

# Cockpit Shine Gloss - Apple

Aquatic Chronic 2 : Toxic to aquatic life with long lasting effects.

| 2.2 Label elements                                   |                                                                                                                 |                                                                                                                     |                                                                         |
|------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|
|                                                      | According to Regulation (E                                                                                      | EC) No. 1272/2008 (CLP)                                                                                             |                                                                         |
| Product Name<br>Contains                             | Cockpit Shine Gloss - App<br>HYDROCARBONS,C6-C7                                                                 |                                                                                                                     | S,CYCLICS,<5% N-HEXANE                                                  |
| Hazard Pictogram(s)                                  |                                                                                                                 |                                                                                                                     | <b>E</b>                                                                |
|                                                      | GHS02                                                                                                           | GHS07                                                                                                               | GHS09                                                                   |
| Signal Word(s)                                       | Danger                                                                                                          |                                                                                                                     |                                                                         |
| Hazard Statement(s)                                  | H222: Extremely flammable<br>H229: Pressurised containe                                                         |                                                                                                                     |                                                                         |
|                                                      | H315: Causes skin irritatior                                                                                    | ٦.                                                                                                                  |                                                                         |
|                                                      | H336: May cause drowsine                                                                                        | ess or dizziness.                                                                                                   |                                                                         |
|                                                      | H411: Toxic to aquatic life                                                                                     | with long lasting effects.                                                                                          |                                                                         |
| Precautionary Statement(s)                           | sources. No smoking.<br>P211: Do not spray on an o<br>P251: Do not pierce or burn<br>P271: Use only outdoors of | at, hot surfaces, sparks, ope<br>open flame or other ignition<br>n, even after use.<br>r in a well-ventilated area. | en flames and other ignition<br>source.<br>temperatures exceeding 50°C/ |
| Unique Formula Identifier (UFI)<br>2.3 Other hazards | DAF2-U09S-M00H-F8PS                                                                                             |                                                                                                                     |                                                                         |
| 2.4 Additional Information                           | None known.                                                                                                     |                                                                                                                     |                                                                         |
|                                                      | For full text of H/P Stateme                                                                                    | ents see section 16.                                                                                                |                                                                         |

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Not applicable.

#### 3.2 Mixtures

| HAZARDOUS INGREDIENT(S) | CAS No. | EC No. / | %W/W | Hazard Statement(s) | Hazard       |
|-------------------------|---------|----------|------|---------------------|--------------|
|                         |         | REACH    |      |                     | Pictogram(s) |



|                                               |            | Registration<br>No. |       |                        |       |
|-----------------------------------------------|------------|---------------------|-------|------------------------|-------|
| Petroleum gases, liquefied[A complex          | 68476-85-7 | 270-704-2           | 50-70 | Flam. Gas 1A H220      | GHS02 |
| combination of hydrocarbons produced by       |            |                     |       |                        |       |
| the distillation of crude oil. It consists of |            |                     |       |                        |       |
| hydrocarbons having carbon numbers            |            |                     |       |                        |       |
| predominantly in the range of C3 through C7   |            |                     |       |                        |       |
| and boiling in the range of approximately –   |            |                     |       |                        |       |
| 40 °C to 80 °C (– 40 °F to 176 °F).]          |            |                     |       |                        |       |
| Hydrocarbons, C6-C7, n-alkanes,               |            | 921-024-6           | 10-30 | Flam. Liq. 2 H225      | GHS02 |
| isoalkanes, cyclics, <5% n-hexane             |            |                     |       | Asp. Tox. 1 H304       | GHS08 |
|                                               |            |                     |       | Skin Irrit. 2 H315     | GHS07 |
|                                               |            |                     |       | STOT SE 3 H336         | GHS09 |
|                                               |            |                     |       | Aquatic Chronic 2 H411 |       |
| Hydrocarbons, C6, isoalkanes, <5% n-          | 64742-49-0 | 931-254-9           | 1-10  | Flam. Liq. 2 H225      | GHS02 |
| hexane                                        |            | 01-                 |       | Asp. Tox. 1 H304       | GHS08 |
|                                               |            | 2119484651-         |       | Skin Irrit. 2 H315     | GHS07 |
|                                               |            | 34                  |       | STOT SE 3 H336         | GHS09 |
|                                               |            |                     |       | Aquatic Chronic 2 H411 |       |
| White mineral oil (petroleum)                 | 8042-47-5  | 232-455-8           | 1-10  | Asp. Tox. 1 H304       | GHS08 |

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

### SECTION 4: FIRST AID MEASURES

### 4.1 Description of first aid measures

| Inhalation                                                      | Remove person to fresh air and keep comfortable for breathing.                     |  |
|-----------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Skin Contact                                                    | Wash skin with plenty of water. Take off contaminated clothing. If skin irritation |  |
|                                                                 | occurs: Get medical advice/attention.                                              |  |
| Eye Contact                                                     | Rinse eyes with water as a precaution.                                             |  |
| Ingestion                                                       | Call a poison center or a doctor if you feel unwell.                               |  |
| 4.2 Most important symptoms and effects, both acute and delayed |                                                                                    |  |
|                                                                 | May cause irritation. May cause drowsiness or dizziness                            |  |

May cause irritation. May cause drowsiness or dizziness.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Suitable Extinguishing media Water spray. Dry powder. Foam. Carbon dioxide.

5.2 Special hazards arising from the substance or mixture



5.3 Advice for firefighters

SAFETY DATA SHEET

# Cockpit Shine Gloss - Apple

| Fire hazard                         | Extremely flammable aerosol.                |
|-------------------------------------|---------------------------------------------|
| Explosion hazard                    | Pressurised container: May burst if heated. |
| Hazardous decomposition products in | Toxic fumes may be released.                |
| case of fire                        |                                             |

Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

| 6.1 Personal precautions, protective equ | ipment and emergency procedures                                                     |
|------------------------------------------|-------------------------------------------------------------------------------------|
| Emergency procedures                     | Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid           |
|                                          | breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.       |
| Protective equipment                     | Do not attempt to take action without suitable protective equipment. For further    |
|                                          | information refer to section 8: "Exposure controls/personal protection".            |
|                                          |                                                                                     |
| 6.2 Environmental precautions            |                                                                                     |
|                                          | Avoid release to the environment.                                                   |
| 6.3 Methods and material for containment | nt and cleaning up                                                                  |
|                                          | Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a |
|                                          | lidded container for disposal or recovery.                                          |
| 6.4 Reference to other sections          |                                                                                     |
|                                          | See Also Section 8, 13.                                                             |

SECTION 7: HANDLING AND STORAGE

| 7.1 Precautions for safe handling          |                                                                                        |
|--------------------------------------------|----------------------------------------------------------------------------------------|
| Precautions for safe handling              | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.     |
|                                            | No smoking. Do not spray on an open flame or other ignition source. Do not pierce      |
|                                            | or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid         |
|                                            | breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear     |
|                                            | personal protective equipment.                                                         |
| Hygiene measures                           | Wash contaminated clothing before reuse. Do not eat, drink or smoke when using         |
|                                            | this product. Always wash hands after handling the product.                            |
| 7.2 Conditions for safe storage, including | any incompatibilities                                                                  |
|                                            | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.          |
|                                            | Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep |
|                                            | cool.                                                                                  |
| 7.3 Specific end use(s)                    |                                                                                        |
|                                            | Not known.                                                                             |

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

8.1.1 Occupational Exposure Limits



| Occupational E     | xposure L  | imits                    |                                    |                                    |                |              |      |
|--------------------|------------|--------------------------|------------------------------------|------------------------------------|----------------|--------------|------|
| SUBSTANCE. CAS No. |            | CAS No.                  | LTEL (8 hr TWA ppm)                | LTEL (8 hr TWA mg/m <sup>3</sup> ) | STEL (ppm)     | STEL (mg/m³) | Note |
| Liquefied petrol   | eum gas    | 68476-85-7               | 1000                               | 1750                               | 1250           | 2180         | (f)  |
|                    |            |                          |                                    |                                    |                |              |      |
| Region             | Source     |                          |                                    |                                    |                |              |      |
| United Kingdom     | UK Workp   | blace Exposure Limits    | EH40/2005 (Fourth edition, publis  | hed 2020)                          |                |              |      |
| Remark             | Notes      |                          |                                    |                                    |                |              |      |
| (f)                | Carc (only | y applies if LPG contain | ins more than 0.1% of buta-1,3-die | ene)                               |                |              |      |
|                    |            |                          |                                    |                                    |                |              |      |
| 8.2 Exposure c     |            |                          |                                    |                                    |                | <b>.</b>     |      |
| 8.2.1. Appropri    | ate engine | eering controls          |                                    | tion systems, approved ex          | •              |              | ld   |
|                    |            |                          | •                                  | al systems. Ensure adequa          |                | -            |      |
| 8.2.2. Persona     | Inrotactio | n oquinmont              | facility/water for eye and         | skin cleaning purposes sh          | iouid be prese | ent.         |      |
| o.z.z. Persona     | •          |                          |                                    |                                    |                |              |      |
|                    | Eye Prote  | ection                   | Wear eye protection with           | side protection (EN166).           |                |              |      |
| Skin protection V  |            |                          | Wear protective clothing           | and gloves: Impervious gl          | oves (EN 374   | ł).          |      |
|                    | Respirato  | ory protection           | In case of insufficient ver        | ntilation, wear suitable res       | piratory equip | ment.        |      |
|                    | Thermal I  | hazards                  | None known.                        |                                    |                |              |      |

8.2.3. Environmental Exposure Controls Avoid release to the environment.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

| Physical state                             | Aerosol                      |
|--------------------------------------------|------------------------------|
| Colour                                     | Colourless.                  |
| Odour                                      | Characteristic.              |
| Melting point/freezing point               | Not known.                   |
| Boiling point or initial boiling point and | Not applicable.              |
| boiling range                              |                              |
| Flammability                               | Extremely flammable aerosol. |
| Lower and upper explosion limit            | Not known.                   |
| Flash Point                                | < 23 °C                      |
| Auto-ignition temperature                  | Not known.                   |
| Decomposition Temperature                  | Not known.                   |
| рH                                         | N1 (1                        |
| P                                          | Not known.                   |



| Kinematic Viscosity                        | Not known.                                  |
|--------------------------------------------|---------------------------------------------|
| Solubility                                 | Solubility (Water) : Not known.             |
|                                            | Solubility (Other) : Not known.             |
| Partition coefficient n-octanol/water (log | Not known.                                  |
| value)                                     |                                             |
| Vapour pressure                            | Not known.                                  |
| Density and/or relative density            | Not known.                                  |
| Relative vapour density                    | Not known.                                  |
| Particle characteristics                   | Not known.                                  |
| Explosive properties                       | Pressurised container: May burst if heated. |
| 9.2 Other information                      |                                             |
|                                            | None.                                       |

## SECTION 10: STABILITY AND REACTIVITY

| 10.1 | Reactivity                         |                                                                                       |
|------|------------------------------------|---------------------------------------------------------------------------------------|
|      |                                    | None anticipated.                                                                     |
| 10.2 | Chemical Stability                 |                                                                                       |
|      |                                    | Stable under normal conditions.                                                       |
| 10.3 | Possibility of hazardous reactions |                                                                                       |
|      |                                    | No hazardous reactions known if used for its intended purpose.                        |
| 10.4 | Conditions to avoid                |                                                                                       |
|      |                                    | Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of |
|      |                                    | ignition.                                                                             |
| 10.5 | Incompatible materials             |                                                                                       |
|      |                                    | Not known.                                                                            |
| 10.6 | Hazardous decomposition products   |                                                                                       |
|      |                                    | No hazardous decomposition products known.                                            |

### SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

| Acute toxicity - Ingestion     | Calculation method : Not classified.                    |
|--------------------------------|---------------------------------------------------------|
| Acute toxicity - Skin Contact  | Calculation method : Not classified.                    |
| Acute toxicity - Inhalation    | Calculation method : Not classified.                    |
| Skin corrosion/irritation      | Calculation method : Causes skin irritation.            |
| Serious eye damage/irritation  | Calculation method : Not classified.                    |
| Skin sensitization data        | Calculation method : Not classified.                    |
| Respiratory sensitization data | Calculation method : Not classified.                    |
| Germ cell mutagenicity         | Calculation method : Not classified.                    |
| Carcinogenicity                | Calculation method : Not classified.                    |
| Reproductive toxicity          | Calculation method : Not classified.                    |
| Lactation                      | Calculation method : Not classified.                    |
| STOT - single exposure         | Calculation method : May cause drowsiness or dizziness. |
| STOT - repeated exposure       | Calculation method : Not classified.                    |
| Aspiration hazard              | Self classification: Not classified.                    |
|                                |                                                         |



#### 11.2 Information on other hazards

Not known.

### SECTION 12: ECOLOGICAL INFORMATION

| 12.1 Toxicity                        |                                                  |
|--------------------------------------|--------------------------------------------------|
|                                      | Toxic to aquatic life with long lasting effects. |
| Toxicity - Aquatic invertebrates     | Not known.                                       |
| Toxicity - Fish                      | Not known.                                       |
| Toxicity - Algae                     | Not known.                                       |
| Toxicity - Sediment Compartment      | Not classified.                                  |
| Toxicity - Terrestrial Compartment   | Not classified.                                  |
| 12.2 Persistence and degradability   |                                                  |
|                                      | Not known.                                       |
| 12.3 Bioaccumulative potential       |                                                  |
|                                      | Not known.                                       |
| 12.4 Mobility in soil                |                                                  |
|                                      | Not known.                                       |
| 12.5 Results of PBT and vPvB assessr | nent                                             |
|                                      | Not known.                                       |
| 12.6 Endocrine disrupting properties |                                                  |
|                                      | None known.                                      |
| 12.7 Other adverse effects           |                                                  |
|                                      | Not known.                                       |

### SECTION 13: DISPOSAL CONSIDERATIONS

| 13.1 Waste treatment methods |                                                                                      |
|------------------------------|--------------------------------------------------------------------------------------|
|                              | Dispose of contents in accordance with local, state or national legislation. Send to |
|                              | a licensed recycler, reclaimer or incinerator. Dispose of this material and its      |
|                              | container to hazardous or special waste collection point. Recycle only completely    |
|                              | emptied packaging. Containers must not be punctured or destroyed by burning,         |
|                              | even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT        |
|                              | landfill.                                                                            |
| 13.2 Additional Information  |                                                                                      |
|                              | Disposal should be in accordance with local, state or national legislation.          |

## SECTION 14: TRANSPORT INFORMATION

| 14.1 | UN number or ID number     |          |
|------|----------------------------|----------|
| UN N | ю.                         | 1950     |
| 14.2 | UN proper shipping name    |          |
| UN p | roper shipping name        | AEROSOLS |
| 14.3 | Transport hazard class(es) |          |
| ADR/ | RID                        |          |



| ADR/RID Class<br>ADR Classification Code<br>Special Provisions<br>Limited Quantities<br>Excepted Quantities<br>Emergency Action Code<br>Mixed Packing Instructions for Packages<br>Special Packing Provisions for Packages<br>Mixed Packing Instructions for Packages<br>Packing Instructions for Packages<br>Packing Instructions for Portable Tanks |                                                                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| Special Provisions for Tanks                                                                                                                                                                                                                                                                                                                          |                                                                |
| Vehicle for Tank Carriage                                                                                                                                                                                                                                                                                                                             |                                                                |
| ADR Transport Category<br>Tunnel Restriction Code<br>Special Provisions for Carriage -<br>Packages<br>Special Provisions for Carriage - Bulk                                                                                                                                                                                                          | 2<br>D<br>V14                                                  |
| Special Provisions for Carriage - Loading,                                                                                                                                                                                                                                                                                                            | CV9 CV12                                                       |
| Unloading and Handling<br>Special Provisions for Carriage -<br>Operation<br>ADR HIN                                                                                                                                                                                                                                                                   | S2                                                             |
| IMDG                                                                                                                                                                                                                                                                                                                                                  |                                                                |
| IMDG Class<br>Special Provisions<br>Limited Quantities<br>Excepted Quantities<br>Mixed Packing Instructions for Packages<br>Special Packing Provisions for Packages<br>Packing Instructions for Portable Tanks                                                                                                                                        | 2<br>190 327 344 625<br>1 L<br>E0<br>P207 LP200<br>PP87 RR6 L2 |
| Special Provisions for Portable Tanks                                                                                                                                                                                                                                                                                                                 |                                                                |
| IMDG EMS<br>Stowage and Handling<br>Segregation<br>Marine Pollutant                                                                                                                                                                                                                                                                                   | F-D, S-U<br>SW1 SW22<br>SG69                                   |
| ICAO/IATA                                                                                                                                                                                                                                                                                                                                             |                                                                |
| IATA Proper Shipping Name                                                                                                                                                                                                                                                                                                                             | AEROSOLS<br>E0                                                 |
| Excepted Quantities<br>Passenger and Cargo Aircraft Limited<br>Quantities Packing Instructions                                                                                                                                                                                                                                                        | E0<br>Y203                                                     |
| Passenger and Cargo Aircraft Limited<br>Quantities Max net Qty                                                                                                                                                                                                                                                                                        | 30Kg G                                                         |



| Passenger and Cargo Aircraft Packing      | 203                               |
|-------------------------------------------|-----------------------------------|
| Instructions                              |                                   |
| Passenger and Cargo Aircraft Max net      | 75Kg                              |
| Qty                                       |                                   |
| Cargo Aircraft Packing Instructions       | 203                               |
| Cargo Aircraft Max net Qty                | 150Kg                             |
| Special Provisions                        | A145, A167, A802                  |
| Emergency Response Guidebook (ERG)        | 10L                               |
| Code                                      |                                   |
| Labels                                    |                                   |
| Labels                                    | 2.1                               |
|                                           |                                   |
| 14.4 Packing group                        |                                   |
| Packing group                             |                                   |
| 14.5 Environmental hazards                |                                   |
| Environmental hazards                     | Classified as a Marine Pollutant. |
| 14.6 Special precautions for user         |                                   |
| Special precautions for user              | Not known.                        |
| 14.7 Maritime transport in bulk according | to IMO instruments                |
|                                           | No information available          |
|                                           |                                   |

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| European Regulations - Authorisations a | and/or Restrictions On Use                                                  |
|-----------------------------------------|-----------------------------------------------------------------------------|
| Candidate List of Substances of Very    | Not listed                                                                  |
| High Concern for Authorisation          |                                                                             |
| REACH: ANNEX XIV list of substances     | Not listed                                                                  |
| subject to authorisation                |                                                                             |
| REACH: Annex XVII Restrictions on the   | Carcinogens: category 1A (68476-85-7), Mutagens: category 1B (64742-49-0),  |
| manufacture, placing on the market and  | Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane (), White |
| use of certain dangerous substances,    | mineral oil (petroleum) (8042-47-5)                                         |
| mixtures and articles                   |                                                                             |
| Community Rolling Action Plan (CoRAP)   | Not listed                                                                  |
| Regulation (EU) N° 2019/1021 of the     | Not listed                                                                  |
| European Parliament and of the Council  |                                                                             |
| on persistent organic pollutants        |                                                                             |
| Regulation (EC) N° 1005/2009 on         | Not listed                                                                  |
| substances that deplete the ozone layer |                                                                             |
| Regulation (EU) N° 649/2012 of the      | Not listed                                                                  |
| European Parliament and of the Council  |                                                                             |
| concerning the export and import of     |                                                                             |
| hazardous chemicals                     |                                                                             |
| National regulations                    |                                                                             |



Date of Revision: 20-04-2023

## Cockpit Shine Gloss - Apple

Other

Not known.

15.2 Chemical Safety Assessment

A REACH chemical safety assessment has not been carried out.

### SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

### LEGEND

| Hazard Pictogram(s)        |                                                                                       |                                |                             |
|----------------------------|---------------------------------------------------------------------------------------|--------------------------------|-----------------------------|
|                            | GHS02                                                                                 | GHS07                          | GHS09                       |
|                            | GHS08: GHS: Health haza                                                               | rd                             |                             |
| Hazard classification      | Flam. Gas 1A : Flammable<br>Aerosol 1 : Aerosol, Categ                                |                                |                             |
|                            | Flam. Liq. 2 : Flammable liquid, Category 2                                           |                                |                             |
|                            | Asp. Tox. 1 : Aspiration ha                                                           | zard, Category 1               |                             |
|                            | Skin Irrit. 2 : Skin corrosion                                                        | /irritation, Category 2        |                             |
|                            | STOT SE 3 : Specific targe                                                            | et organ toxicity — single exp | oosure, Category 3          |
|                            | Aquatic Chronic 2 : Hazard                                                            | lous to the aquatic environm   | ent, Chronic, Category 2    |
| Hazard Statement(s)        | H220: Extremely flammabl                                                              | e cas.                         |                             |
|                            | H222: Extremely flammable aerosol.                                                    |                                |                             |
|                            | H225: Highly flammable liq                                                            | uid and vapour.                |                             |
|                            | H229: Pressurised container: May burst if heated.                                     |                                |                             |
|                            | H304: May be fatal if swallowed and enters airways.                                   |                                |                             |
|                            | H315: Causes skin irritation.                                                         |                                |                             |
|                            | H336: May cause drowsine                                                              | ess or dizziness.              |                             |
|                            | H411: Toxic to aquatic life                                                           | with long lasting effects.     |                             |
|                            |                                                                                       |                                |                             |
| Precautionary Statement(s) |                                                                                       | at, hot surfaces, sparks, oper | n flames and other ignition |
|                            | sources. No smoking.<br>P211: Do not spray on an open flame or other ignition source. |                                |                             |
|                            | P251: Do not pierce or bur                                                            |                                |                             |
|                            |                                                                                       | t/fume/gas/mist/vapours/spra   | av.                         |
|                            |                                                                                       | posed skin thoroughly after h  |                             |
|                            | P271: Use only outdoors o                                                             |                                | J                           |
|                            | ,                                                                                     |                                |                             |



SAFETY DATA SHEET

# Cockpit Shine Gloss - Apple

|                              | P273: Avoid release to the environment.                                                |
|------------------------------|----------------------------------------------------------------------------------------|
|                              | P280: Wear protective gloves/protective clothing/eye protection/face protection.       |
|                              | P302+P352: IF ON SKIN: Wash with plenty of water.                                      |
|                              | P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for             |
|                              | breathing.<br>P312: Call a POISON CENTRE/doctor if you feel unwell.                    |
|                              | P321: Specific treatment (see Medical Advice on this label).                           |
|                              | P332+P313: If skin irritation occurs: Get medical advice/attention.                    |
|                              | P362+P364: Take off contaminated clothing and wash it before reuse.                    |
|                              | -                                                                                      |
|                              | P391: Collect spillage.                                                                |
|                              | P403+P233: Store in a well-ventilated place. Keep container tightly closed.            |
|                              | P405: Store locked up.                                                                 |
|                              | P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F. |
|                              | P501: Dispose of contents in accordance with local, state or national legislation.     |
|                              | ADN : European Agreement concerning the International Carriage of Dangerous            |
|                              | Goods by Inland Waterways                                                              |
|                              | ADR : European Agreement concerning the International Carriage of Dangerous            |
|                              | Goods by Road                                                                          |
|                              | ATE : Acute Toxicity Estimate                                                          |
|                              | CAS : Chemical Abstracts Service                                                       |
|                              | CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of       |
|                              | substances and mixtures                                                                |
|                              | DNEL : Derived No Effect Level                                                         |
|                              | EC : European Community                                                                |
|                              | EINECS : European Inventory of Existing Commercial Chemical Substances                 |
|                              | IATA : International Air Transport Association                                         |
|                              | IBC : Intermediate Bulk Container                                                      |
|                              | ICAO : International Civil Aviation Organization                                       |
|                              | IMDG : International Maritime Dangerous Goods                                          |
|                              | LTEL : Long term exposure limit                                                        |
|                              | PBT : Persistent, Bioaccumulative and Toxic                                            |
|                              | PNEC : Predicted No Effect Concentration                                               |
|                              | REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals           |
|                              | RID : Regulations concerning the International Carriage of Dangerous Goods by Rail     |
|                              | STEL : Short term exposure limit                                                       |
|                              | STOT : Specific Target Organ Toxicity                                                  |
|                              | UN : United Nations                                                                    |
|                              | vPvB : very Persistent and very Bioaccumulative                                        |
|                              |                                                                                        |
| e references and sources for | Regulation (EC) No. 1272/2008 (CLP)                                                    |

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP)

data used to compile the SDS

Disclaimers

Acronyms

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves



of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.